



W.W.O.C.

AN
ENVIRONMENTAL SERVICE COMPANY

OFFICE: (317) 830-6084
LABORATORY: (317) 996-6112
FAX MACHINE: (317) 996-6112
CELL PHONE: (317) 225-3316
E-MAIL: shawmass30@gmail.com

PRESIDENT / C.E.O. SHAWN MASSINGALE
LABORATORY TECH. SHAWN MASSINGALE
Collection System Supervisor. PAT DE-FORD
OFFICE MANAGER BRIANNE CAMPBELL

W.W.O.C. COMPANY MISSION IS TO PROVIDE A SAFE AND HEALTHY ENVIRONMENT FOR ALL WITH CLEAN AND REUSEABLE WATER FOR YEARS TO COME.

Town of Monrovia Sanitary Sewer lateral hookup requirements & standards 5-1-2021

1. All inspections will need to be scheduled 24 hours in advance with either Shawn Massingale at 317-225-3316 or Pat DeFord at 765-315-3405.
2. Schedule 40 is required with a 4" pipe (pre-existing agreements Exempt), schedule 35 will only be allowed with a 6" pipe.
3. All fittings need to be visible at time of the inspection (**90-degree fittings are not allowed**) & (there is to be 12" between all fittings)
4. All connections need to be bedded and covered with sand or pea gravel.
5. All connections can be installed from the house to the main, the inspector must be on sight to tap the main any surrounding water will need to be pumped out before tapping the main.